

RECEIVED
CENTRAL FAX CENTER

SEP 25 2006

PTO/SB/21 (09-04)


Approved for use through 07/31/2008. OMB 0651-0031


U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM (to be used for all correspondence after initial filing)	Application Number	09/615,039	
	Filing Date	July 11, 2000	
	First Named Inventor	Gregg B. Morin, et al.	
	Art Unit	1632	
	Examiner Name	Paul Thomas Dowell, Ph.D.	
Total Number of Pages in This Submission	11	Attorney Docket Number	019/251C

ENCLOSURES (Check all that apply)		
<input type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers	<input type="checkbox"/> After Allowance Communication to TC
<input type="checkbox"/> Amendment/Reply <input type="checkbox"/> After Final <input checked="" type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation <input type="checkbox"/> Change of Correspondence Address	<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____ <input type="checkbox"/> Landscape Table on CD	<input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input checked="" type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Reply to Missing Parts/Incomplete Application <input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53	Remarks Declaration under 37 CFR § 1.132 by Calvin B. Harley Ph.D. (9 pages) (References in support of Declaration filed in IDS under separate cover) Last page marker.	


SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT			
Firm Name	Geron Corporation		
Signature			
Printed name	J. Michael Schiff		
Date	Sept 25/06	Reg. No.	40,253

CERTIFICATE OF TRANSMISSION/MAILING			
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.			
Signature			
Typed or printed name	J. Michael Schiff	Date	Sept 25/06

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

RECEIVED
GENERAL FAX CENTER
SEP 25 2006

CERTIFICATE OF FACSIMILE TRANSMISSION	
I hereby certify that this correspondence is being transmitted to the U.S. Patent & Trademark Office in accordance with 37 CFR § 1.6(d) on the date indicated.	
 Name	Sept 25/06 Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: Gregg Morin et al.

Filing Date: July 11, 2000

Serial No: 09/615,039

Docket: 019/251c

Title: ONCOLYTIC VIRUS THAT REPLICATES
IN CELLS EXPRESSING TELOMERASE
REVERSE TRANSCRIPTASE

Art Unit: 1632

Examiner: Paul Thomas Dowell, Ph.D.

DECLARATION UNDER 37 CFR § 1.132

CALVIN B. HARLEY, Ph.D.

Commissioner for Patents
Alexandria VA 22313

Dear Sir:

I, CALVIN HARLEY, do hereby declare as follows:

I am the Chief Scientific Officer at Geron Corporation. I have been conducting research on telomere biology and biochemistry for over 15 years, and have authored over 40 research papers and reviews on the subject. I am co-inventor on about 23 issued U.S. Patents covering telomerase compositions, assays, and inhibitors.

RECEIVED
GENERAL FAX CENTERPATENT
09/615,039
Docket 019/251c

SEP 25 2006

My role at Geron is to oversee the company's entire scientific research program, including the development of human telomerase reverse transcriptase (TERT) for human therapy. Geron has a collaboration with Cell Genesys to develop an oncolytic adenovirus driven by the TERT promoter for the treatment of cancer [1,2].

Non-obviousness of this invention

I understand the Examiner has questioned whether the invention claimed in this patent application would have been obvious to someone skilled in this technological area at the time the priority application was filed on February 4, 1999. In particular, the Examiner refers to the following references:

- U.S. Patent 5,998,205 (Hallenbeck et al.), which generally describes replication conditional adenovirus vectors, and U.S. Patent 5,278,379 (Martuza et al.), which generally describes replication conditional herpes vectors;
- The articles by Kim et al. [3] and Kanazawa et al. [4], which report that TERT is preferentially expressed in cancer cell lines; and
- The article by Takakura et al. [5] or issued U.S. Patent 6,610,839 (Morin et al.), which provide the promoter sequence for human TERT.

As I understand it, the Examiner suggests that upon learning about replication conditional vectors from the Hallenbeck and Martuza patents, the reader would be guided by the Kim and Kanazawa references to use the TERT promoter in place of the promoters used by Hallenbeck and Martuza.

In my expert opinion, someone knowledgeable in telomere biology would reasonably doubt whether the hTERT promoter would be suitable for use in an oncolytic virus in view of what was then known about TERT expression in essential stem cells. This could easily guide someone away from using the hTERT promoter, in favor of any one of a number of other promoters known at the time to cause differential expression in cancer cells.

PATENT
09/615,039
Docket 019/251cRECEIVED
GERON CORP
SEP 25 2006Alternative promoters

At the time the priority application was filed in 1999, extensive work had been done to identify markers that are expressed at high levels in human cancers. Carcinoembryonic antigen (CEA) and other markers were described in the 1960's, foreshadowing an era of extensive research and discovery for tumor-specific and tumor-associated markers (reviewed in ref. 6). Such markers have been seen as possible targets for treatment by way of cancer vaccines [7], or as a way of causing gene vectors to be expressed preferentially in cancer cells [8,9,10].

For example, Cooper [8], a 1996 reference, reviews the potential for targeted gene therapy, listing over 20 different promoters, each drawn from previous articles. Dachs et al. [9], a 1997 reference, discusses the use of particular transcription control elements for α -fetoprotein, DF3 (MUC1), albumin, tyrosinase, von Willebrand factor (wWF), glial fibrillary acidic protein promoter (GFAP), myelin basic protein (MBP), myelin proteolipid protein (PLP), osteocalcin, CEA, HER-2/neu (erb B2), Myc-Max, the early growth response gene Egr-1, tissue plasminogen activator (tPA), glucose regulated protein GRP78/BiP, hypoxia inducible factor HIF-1, and phosphoglycerate kinase-1. Patterson et al. [10], a 1999 reference, lists 12 different tissue specific, tumor specific, or radiation inducible promoters suitable for treating breast cancer.

The Hallenbeck and Martuza patents referred to by the Examiner also provide a long list of alternative promoters for use in oncolytic viruses.

The working example in the Hallenbeck patent use the promoter for α -fetoprotein (Example 1). Recommended alternatives are mostly selected from the list given in the Dachs article: namely, transcription regulatory sequences for carcinoembryonic antigen (CEA), the DF3 mucin (MUC1), Erb-B2, surfactant, and tyrosinase. The Martuza patent provides an extensive list of tissue- and tumor-specific promoter which it say scan be used in the vectors of their invention. Table 1 lists 56 such promoters; Table 2 lists about 24 such promoters. Each table refers to cancer types suitable for treatment, and references where more information about the promoters referred to can be found.

Thus, someone reading the Hallenbeck and Martuza patents and other published documents would have a large number of promoters to select from that are listed within the references. They would also be aware of a wide variety of other promoters that would be good candidates for driving an oncolytic virus.

PATENT
09/615,039
Docket 019/251c

RECEIVED
CENTRAL FAX CENTER

SEP 25 2006

Potential risks of using the TERT promoter

Even if it occurred to someone reading the Hallenbeck or Martuza patents to consider using the TERT promoter, it is my opinion that they may have been more inclined to use other alternatives, in view of what was known about the pattern of telomerase expression at the time the priority application was filed in 1999.

The genetically programmed role of telomerase is not to create tumors, but to increase replicative capacity of certain normal cells needed by the human organism. TERT is not expressed in most normal human cells. Consequently, they can replicate through typically 30 to 100 cell divisions (the Hayflick limit), because telomere ends of chromosomes shorten each time the cell divides, until the cell enters replicative senescence or crisis.

However, it was known in 1999 that the germline cells and certain somatic stem or progenitor cells from highly proliferative tissues *do* express telomerase activity (and hence both hTR and TERT), apparently conferring an increased replication capacity to these cells (reviewed in ref. 11). Amongst normal cells that express TERT are germline cells [12,13,14], activated lymphocytes [13,15,16], and cells from proliferative tissues such as bone marrow [14,17] hematopoietic progenitors [18], spleen [14], colonic crypt epithelial cells [19], breast epithelium [20], and the stratum basale of the skin [20].

Accordingly, someone working with oncolytic viruses would be concerned that a vector driven by the TERT promoter has the potential to eliminate too many essential stem cells. If so, the following side effects could occur:

- Generalized growth defects
- Depletion of hematopoietic stem cells in the bone marrow, leading to pancytopenia and marrow failure;
- Depletion of crypt epithelial cells, leading to diarrhea and malnutrition;
- Depletion of skin and hair follicle stem cells, leading to alopecia (hair loss) and poor wound healing; and
- Impaired ability of the immune system to prevent opportunistic infection.

Furthermore, since TERT is expressed in mouse hepatocytes [21] and since adenovirus is hepatotropic, it could be predicted that an oncolytic virus based on adenovirus would cause hepatotoxicity (leading to an elevation in liver enzymes in the circulation), and toxicity of the spleen.

PATENT
09/615,039
Docket 019/251c

Demonstrations that a TERT-driven oncolytic virus is both safe and effective

This patent application provides an illustration of this invention in which an adenovirus was constructed in which the E1A adenovirus gene was placed under control of the promoter for human TERT. The data show that the TERT oncovirus replicated killed a panel of six different cancer cell lines, but not three long-lived mortal cell lines (Example 10, Figure 4, Table 2).

Accompanying this Declaration is our article presenting follow-on data obtained using the same oncolytic virus (Irving et al., ref. 1). Administration of the virus into nude mice bearing human liver or prostate tumor xenografts produced significant tumor reduction, and in some cases, resulted in complete tumor regression (Figure 4). This correlated with E1A gene expression *in vivo* (Figure 5). Importantly, there was no evidence of toxicity to the liver, even though another construct driven by the CMV promoter caused hepatocyte vacuolation and cellular necrosis (Figure 6). Although the human TERT promoter is known to drive expression in mouse stem cells [22], there was no evidence for any of the stem cell related side effects predicted above. Thus, the relative proliferation rate in cancer cells compared with stem cells is high enough to provide genuine therapeutic value.

Subsequent studies by other laboratories using TERT driven oncolytic viruses confirm and amplify these results:

- Lanson et al. [23] studied an oncolytic virus in which the E1A gene was controlled by the human TERT promoter. They reported that a *single injection* of the oncolytic virus into preexisting HT-1080 fibrosarcoma tumors in nude mice efficiently suppressed tumor growth.
- Huang et al. [24] studied a similar construct, showing that replication was severely attenuated in TERT-negative cells, but that it replicated almost as efficiently as wild-type adenovirus in TERT-positive cells. *In vivo* replication after local administration into a xenograft model of human hepatocellular carcinoma in nude mice resulted in increased titers in tumor extracts by *several orders of magnitude* within 3 days of injection, correlating with inhibition of tumor growth and tumor cell necrosis. *There was no evidence of hepatotoxicity.*
- Kuppuswamy et al. [25] found that an oncolytic adenovirus vector with the TERT promoter driving E4 reduced the number and size of A549 human lung cancer cell nodules in a disseminated lung tumor model (a model for *metastatic disease*). Different doses of the construct showed *minimal liver toxicity*.

RECEIVED
CENTRAL FAX CENTER PATENT
09/615,039
SEP 25 2006 Docket 019/251c

- Wirth et al. [26] found that a single dose of a TERT-dependent conditionally replicating adenovirus led to significant inhibition of growth of Huh7 hepatoma xenografts. *The TERT mediated oncolysis was more efficient than treatment with ONYX-015*, an extensively studied vector that replicates selectively in p53 mutated cells [27].

Summary

In my view, someone reading the Hallenbeck and Martuza patents back in 1999 would not necessarily conclude that the TERT promoter would be safe and efficacious in an oncolytic virus. Many other promoters were known and extensively studied in other laboratories that would be suitable. The potential risks of using TERT could make the other alternatives seem more attractive.

Nevertheless, this patent disclosure and the subsequent studies show that the oncovirus of this invention is both safe and effective. Although TERT is expressed in stem cells, oncovirus vectors driven by the TERT promoter are sufficiently tumor-selective so as to be therapeutic without substantial side effects. Even a single low dose may result in significant inhibition of tumor growth in preclinical studies. The virus is effective in models for metastatic disease, and is superior to the ONYX-015 vector for which there is evidence of efficacy in human clinical trials.

I hereby declare that all statements made in this Declaration of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

2006.09.21
Date

Calvin B. Harley
Calvin B. Harley, Ph.D.
Menlo Park, CA

PATENT
09/615,039
Docket 019/251c

RECEIVED
GERON FAX CENTER
SEP 25 2006

Articles referred to:

1. Irving J, Wang Z, Powell S, O'Sullivan C, Mok M, Murphy B, Cardoza L, Lebkowski JS, Majumdar AS. Conditionally replicative adenovirus driven by the human telomerase promoter provides broad-spectrum antitumor activity without liver toxicity. *Cancer Gene Ther.* 2004 Mar;11(3):174-85.
2. Ryan PC, Jakubczak JL, Stewart DA, Hawkins LK, Cheng C, Clarke LM, Ganesh S, Hay C, Huang Y, Kaloss M, Marinov A, Phipps SS, Reddy PS, Shirley PS, Skripchenko Y, Xu L, Yang J, Forry-Schaudies S, Hallenbeck PL. Antitumor efficacy and tumor-selective replication with a single intravenous injection of OAS403, an oncolytic adenovirus dependent on two prevalent alterations in human cancer. *Cancer Gene Ther.* 2004 Aug;11(8):555-69.
3. Kim NW, Piatyszek MA, Prowse KR, Harley CB, West MD, Ho PL, Coviello GM, Wright WE, Weinrich SL, Shay JW. Specific association of human telomerase activity with immortal cells and cancer. *Science.* 1994 Dec 23;266(5193):2011-5.
4. Kanazawa Y, Ohkawa K, Ueda K, Mita E, Takehara T, Sasaki Y, Kasahara A, Hayashi N. Hammerhead ribozyme-mediated inhibition of telomerase activity in extracts of human hepatocellular carcinoma cells. *Biochem Biophys Res Commun.* 1996 Aug 14;225(2):570-6.
5. Takakura M, Kyo S, Kanaya T, Hirano H, Takeda J, Yutsudo M, Inoue M. Cloning of human telomerase catalytic subunit (hTERT) gene promoter and identification of proximal core promoter sequences essential for transcriptional activation in immortalized and cancer cells. *Cancer Res.* 1999 Feb 1;59(3):551-7.
6. Suresh MR. Classification of tumor markers. *Anticancer Res.* 1996 Jul-Aug;16(4B):2273-7.
7. Durrant LG. Cancer vaccines. *Anticancer Drugs.* 1997 Sep;8(8):727-33.
8. Cooper MJ. Noninfectious gene transfer and expression systems for cancer gene therapy. *Semin Oncol.* 1996 Feb;23(1):172-87. Review.
9. Dachs GU, Dougherty GJ, Stratford IJ, Chaplin DJ. Targeting gene therapy to cancer: a review. *Oncol Res.* 1997;9(6-7):313-25.

PATENT
09/615,039
Docket 019/251c

10. Patterson A, Harris AL. Molecular chemotherapy for breast cancer. *Drugs Aging*. 1999 Feb;14(2):75-90. Review
11. Chiu CP, Harley CB. Replicative senescence and cell immortality: the role of telomeres and telomerase. *Proc Soc Exp Biol Med*. 1997 Feb;214(2):99-106.
12. Thomson JA, Itskovitz-Eldor J, Shapiro SS, Waknitz MA, Swiergiel JJ, Marshall VS, Jones JM. Embryonic stem cell lines derived from human blastocysts. *Science*. 1998 Nov 6;282(5391):1145-7. Erratum in: *Science* 1998 Dec 4;282(5395):1827.
13. Holt SE, Aisner DL, Shay JW, Wright WE. Lack of cell cycle regulation of telomerase activity in human cells. *Proc Natl Acad Sci U S A*. 1997 Sep 30;94(20):10687-92.
14. Lee HW, Blasco MA, Gottlieb GJ, Horner JW 2nd, Greider CW, DePinho RA. Essential role of mouse telomerase in highly proliferative organs. *Nature*. 1998 Apr 9;392(6676):569-74.
15. Norrback KF, Roos G. Telomeres and telomerase in normal and malignant haematopoietic cells. *Eur J Cancer*. 1997 Apr;33(5):774-80.
16. Pan C, Xue BH, Ellis TM, Peace DJ, Diaz MO. Changes in telomerase activity and telomere length during human T lymphocyte senescence. *Exp Cell Res*. 1997 Mar 15;231(2):346-53.
17. Yui J, Chiu CP, Lansdorp PM. Telomerase activity in candidate stem cells from fetal liver and adult bone marrow. *Blood*. 1998 May 1;91(9):3255-62.
18. Sakabe H, Yanata N, Kimura T, Zeng ZZ, Minamiguchi H, Kaneko H, Mori KJ, Ohyashiki K, Ohyashiki JH, Toyama K, Abe T, Sonoda Y. Human cord blood-derived primitive progenitors are enriched in CD34+c-kit- cells: correlation between long-term culture-initiating cells and telomerase expression. *Leukemia*. 1998 May;12(5):728-34.

PATENT
09/615,039
Docket 019/251c

19. Tahara H, Yasui W, Tahara E, Fujimoto J, Ito K, Tamai K, Nakayama J, Ishikawa F, Tahara E, Ide T. Immuno-histochemical detection of human telomerase catalytic component, hTERT, in human colorectal tumor and non-tumor tissue sections. *Oncogene*. 1999 Feb 25;18(8):1561-7.
20. Kolquist KA, Ellisen LW, Counter CM, Meyerson M, Tan LK, Weinberg RA, Haber DA, Gerald WL. Expression of TERT in early premalignant lesions and a subset of cells in normal tissues. *Nat Genet*. 1998 Jun;19(2):182-6.
21. Prowse KR, Greider CW. Developmental and tissue-specific regulation of mouse telomerase and telomere length. *Proc Natl Acad Sci U S A*. 1995 May 23;92(11):4818-22.
22. Ritz JM, Kuhle O, Riethdorf S, Sipos B, Deppert W, Englert C, Gunes C. A novel transgenic mouse model reveals humanlike regulation of an 8-kbp human TERT gene promoter fragment in normal and tumor tissues. *Cancer Res*. 2005 Feb 15;65(4):1187-96.
23. Lanson NA Jr, Friedlander PL, Schwarzenberger P, Kolls JK, Wang G. Replication of an adenoviral vector controlled by the human telomerase reverse transcriptase promoter causes tumor-selective tumor lysis. *Cancer Res*. 2003 Nov 15;63(22):7936-41.
24. Huang Q, Zhang X, Wang H, Yan B, Kirkpatrick J, Dewhirst MW, Li CY. A novel conditionally replicative adenovirus vector targeting telomerase-positive tumor cells. *Clin Cancer Res*. 2004 Feb 15;10(4):1439-45.
25. Kuppuswamy M, Spencer JF, Doronin K, Tollefson AE, Wold WS, Toth K. Oncolytic adenovirus that overproduces ADP and replicates selectively in tumors due to hTERT promoter-regulated E4 gene expression. *Gene Ther*. 2005 Nov;12(22):1608-17.
26. Wirth T, Zender L, Schulte B, Mundt B, Plentz R, Rudolph KL, Manns M, Kubicka S, Kuhnelt F. A telomerase-dependent conditionally replicating adenovirus for selective treatment of cancer. *Cancer Res*. 2003 Jun 15;63(12):3181-8.
27. Reid TR, Freeman S, Post L, McCormick F, Sze DY. *Cancer Gene Ther*. 2005 Aug;12(8):673-81. Effects of Onyx-015 among metastatic colorectal cancer patients that have failed prior treatment with 5-FU/leucovorin.



GERON CORPORATION

230 Constitution Drive
Menlo Park, CA 94025
Telephone: 650 473-7700
Facsimile: 650 473-7750

Facsimile Transmittal Sheet

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, AND/OR EXEMPT FROM DISCLOSURE BY APPLICABLE LAW OR COURT ORDER. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

USSN 09/615,039

LAST PAGE